ACTA PHYSIOLOGICA SCANDINAVICA

EDITORIAL BOARD

Chief Editor

B. Uvnäs *Stockholm*

National Editors

N. A. Thorn *København*

J. Leppäluoto *Oulu*

T. Lømo *Oslo*

B. Fredholm *Stockholm*

Volume 141 1991

Pages 1–588

Published for the

SCANDINAVIAN PHYSIOLOGICAL SOCIETY *by*

BLACKWELL SCIENTIFIC PUBLICATIONS

OXFORD LONDON EDINBURGH BOSTON MELBOURNE

PARIS BERLIN VIENNA

Published for the
Scandinavian Physiological Society by
Blackwell Scientific Publications
Osney Mead, Oxford OX2 0EL
25 John Street, London WC1N 2BL
23 Ainslie Place, Edinburgh EH3 6AJ
3 Cambridge Center, Suite 208, Cambridge,
MA 02142, USA
54 University Street, Carlton, Victoria 3053, Australia
Meinekestrasse 4, D-1000 Berlin 14, Germany
2 rue Casmir Delavigne, 75005 Paris, France
Feldgasse 13, A-1238 Vienna, Austria

© 1991 Scandinavian Physiological Society

Printed in Great Britain
by the University Press, Cambridge

Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by the Scandinavian Physiological Society for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of $05.00 per copy is paid directly to CCC, 27 Congress Street, Salem, MA 01970, USA. Special requests should be addressed to the Editor. 0001–6772/91 $05.00.

Contents

VOLUME 141, NUMBER 1, JANUARY 1991

LINDSTRÖM, S. & MAZIÉRES, L. Effect of menthol on the bladder cooling reflex in the cat 1

ANDERSSON, K.-E., ATTA, M. A., ELBADAWI, A., LARSSON, B., MATTIASSON, A. & SJOGREN, C. Effects of parasympathetic decentralization on some nerve-mediated functions on the feline urinary bladder 11

LUNDGREN, O. & HANSSON, G. C. Is there an intestinal natriuretic factor? 19

FUKUDA, Y., MALMBORG, A.-S. & APERIA, A. Gentamicin inhibition of N^+, K^+-ATPase in rat kidney cells 27

AGUIRRE, J. A., FUXE, K., ANDBJER, B., ENEROTH, P. & AGNATI, L. F. Changes in pituitary-adrenal activity activate the central vasodepressor responses induced by Y and adrenaline in the awake unrestrained male rat 35

KANERVO, A., ARJAMMAA, O., VUOLTEENAH, O. & LEPPÄLUOTO, J. Daily patterns of plasma atrial natriuretic peptide serum osmolality and haematocrit in the rat 45

PERSSON, M. G., WIKLUND, N. P., GUSTAFFSON, L. E. Nitric oxide requirement for vasomotor nerve-induced vasodilation and modulation of resting blood flow in muscle microcirculation 49

WIESENFELD-HALLIN, Z., XU, X.-J., HÅKANSON, R., FENG, D.-M. & FOLKERS, K. Tachykinins mediate changes in spinal reflexes after activation of unmyelinated muscle afferents in the rat 57

HASHIMOTO, H. & NAKASHIMA, M. Evidence for a link between mechanical and electrical alternans in acutely ischaemic myocardium of anaesthetized dogs 63

EKLÖF, A.-C., HÖKFELT, T. & APERIA, A. Renal nerve activity does not contribute to the development of renal vascular hypertension in rats with abdominal aortic constriction 71

ARNER, M., HÖGESTÄTT, E. D. & USKI, T. K. Characterization of contraction-mediating prostanoid receptors in human hand veins: effects of the thromboxane receptor antagonists BM13,505 and AH23848 79

RUBE, N. & SECHER, N. H. Effect of training on central factors in fatigue following two- and one-leg static exercise in man 87

THORN, N. A., NIELSEN, F. S. & JEPPESEN, C. K. Characteristics of ascorbic acid uptake by isolated ox neurohypophyseal nerve terminals and the influence of glucocorticoid and triiodothyronine on uptake 97

WIGANDER, A., LUNDMARK, K., MCRAE, A., MÖLNE, J., NILSSON, O., HAGLID, K., DAHLSTRÖM, A. & AHLMAN, H. Production of transferable neuronotrophic factor(s) by human midgut carcinoid tumour cells; studies using cultures of rat fetal cholinergic neurons 107

TUUKKANEN, J., JALOVAARA, P. & VÄÄNÄNEN, K. Calcitonin treatment of immobilization osteoporosis in rats 119

Rapid Communications

DELBRO, D. S. & LISANDER, B. Inhibition of gastric motility via an extraspinal pathway, by afferent mesenteric nerve stimulation in the pithed rat 125

THULESIUS, O. & YOUSIF, M. H. Na^+, K^+-ATPase inhibition, a new mechanism for cold-induced vasoconstriction in cutaneous veins 127

ISHIHARA, A., TAGUCHI, S., ARAKI, H. & NISHIHIRA, Y. Oxidative and glycolytic metabolism of the tibialis anterior motoneurons in the rat 129

GRILLNER, P., HILL, R. & GRILLNER, S. 7-Chlorokynurenic acid blocks NMDA receptor-induced fictive locomotion in lamprey-evidence for a physiological role of the glycine site 131
ANDERSSON, K.-E., GARCIA PASCUAL, A., FORMAN, A. & TØTTRUP, A. Non-adrenergic, non-cholinergic nerve mediated relaxation of rabbit urethra is caused by nitric oxide 133
LOU, Y.-P., FRANCO-CERCEDA, A. & LUNDBERG, J. M. Omega-conotoxin inhibits CGRP release and bronchoconstriction evoked by a low concentration of capsaicin 135
HEDLUND, P. & FUXE, K. Chronic imipramine treatment increases the affinity of [^{125}I]galanin binding sites in the tel- and diencephalon of the rat and alters the 5-HT_{1A}/galanin receptor 137
FUXE, K., AGUIRRE, A., TINNER, B., AGNATI, L. F., AGERBERTH, B. & MUTT, V. PEC-60, a novel porcine 60-residue intertinal peptide, reduces dopamine utilization in discrete parts of the neostriatum of the male rat following an intracerebroventricular injection 139
LUNDBERG, J. M. & LOU, Y.-P. Dactinomycin inhibits non-cholinergic bronchoconstriction by capsaicin-sensitive sensory nerves in the guinea-pig by antagonizing neurokinin 2 receptor activation 141
JOHANSSON, O., HILLIGES, M., OLSSON, A., ÖSTENSON, C.-G., MORRIS, M. & EFENDIC, S. Oxytocin in pancreatic islets–immunohistochemical localization in normal and non-insulin-dependent rats 143
INSTRUCTIONS TO AUTHORS 145

VOLUME 141, NUMBER 2, FEBRUARY 1991

COLLIANDER, E. B. & TESCH, P. A. Responses to eccentric and concentric resistance training in females and males 149
MATSUKAWA, T., GOTOH, E., UNEDA, S., MIYAJIMA, E., SHIONORI, H., TOCHIKUBO, O. and ISHII, M. Augmented sympathetic nerve activity in response to stressors in young borderline hypertensive men 157
MARTINSSON, A., MELCHER, A., LINDVALL, K. and HJEMDAHL, P. Comparison between isoprenaline infusions and bolus injections to assess β-adrenoceptor function in man, with special reference to cardiac contractility and the influence of autonomic reflexes 167
KUROZAWA, Y., NASU, Y. and NOSE, T. Response of capsaicin pre-treated skin blood vessels to excercise 181
HANSEN, C. P., HOLSTEIN-RATHLOU, N., SKØTT, O., LEYSSAC, P. P. and FREDERIKSEN, O. Lithium absorption by the rabbit gall bladder 185
MÄNSSON, B. and EKSTRÖM, J. On the non-adrenergic, non-cholinergic contribution to the parasympathetic nerve-evoked secretion of parotid saliva in the rat 197
LUNDHOLM, K., TERNELL, M., ZACHROSSON, H., MOLDAWER, L. & LINDSTRÖM, L. Measurement of hepatic protein synthesis in unrestrained mice – evaluation of the 'flooding technique' 207
VEEL, T., BUANES, T., GROTMOL, T., ØSTENSEN, J. and RÆDER, M. G. Secretin dissipates red acridine orange fluorescence from pancreatic duct epithelium 221
MELIN, B., CURÉ, M., JIMENEZ, C., ALLEVARD, A. M., GEELEN, G. and GHARIB, C. Plasma atrial natriuretic peptide and vasopressin during thermal dehydration in supine posture 227
LÖNNERHOLM, G. and WISTRAND, P. J. Membrane-bound carbonic anhydrase CA IV in the human kidney 231
HU, G.-Y. Effects of depolarization and QX-314 injection on slow prepotentials in rat hippocampal pyramidal neurones *in vitro* 235
PÉREZ DE LA MORA, M., MÉNDEZ-FRANCO, J., SALCEDA, R., AGUIRRE, J. A. & FUXE, K. Neurochemical effects of nicotine on glutamate and GABA mechanisms in the rat brain 241

EDMAN, Å. and GRAMPP, W. Ion (H^+, CA^{2+}, Co^{2+}) and temperature effects on a hyperpolarization-activated membrane current in the lobster stretch receptor neurone 251
LYDRUP, M. L. and HELLSTRAND, P. Metabolic correlates to pacemaker activity in the smooth muscle of guinea-pig mesotubarium 263
ENGEL, B. T. and TALAN, M. I. Diurnal variations in central venous pressure 273

Rapid Communications
HEDLUND, P., BJELKE, B., AGUIRRE, J. A. and FUXE, K. Preferential increases of [^{125}I]NPY_{1-36} binding in the hippocampal formation produced by the NPY Y_2 receptor agonist NPY_{13-36} 279
SAMUELSON, U. E. and JERNBECK, J. Calcitonin gene-related peptide relaxes porcine arteries via one endothelium-dependent and one endothelium-independent mechanism 281
PELTO-HUIKKO, M., SCHULTZ, R., KOISTINAHO, J. and HÖKFELT, T. Immunocytochemical demonstration of c-fos protein in sertoli cells and germ cells in rat testis 283
SALOMONSSON, M., SKØTT, O. and PERSSON, A. G. Influence of intraluminal arterial pressure on renin release 285
ANNOUNCEMENT 287

VOLUME 141, NUMBER 3, MARCH 1991

BASSOTTI, G., IMBIMBO, B. P., BETTI, C., ERBELLA, G. S., PELLI, M. A. and MORELLI, A. Edrophonium chloride for testing colonic contractile activity in man 289
ROJKITTIKHUN, T., UVNÄS-MOBERG, K., EINARSSON, S. and LUNDEHEIM, N. Effects of weaning on plasma levels of prolactin, oxytocin, insulin, glucagon, glucose, gastrin and somatostatin in sows 295
CLARIA, J., JIMINEZ, W., LA VILLA, G., ASBERT, M., CASTRO, A., LLIBRE, J., ARROYO, V. and RIVERA, F. Effects of endothelin on renal haemodynamics and segmental sodium handling in conscious rats 305
NINK, M., KRAUSE, U., LEHNERT, H., HEUBERGER, W. HUBER, I., SCHULZ, R., HOMMEL, G. and BEYER, J. Thyrotropin-releasing hormone has stimulatory effects on ventilation in humans 309
PERNOW, J., HEMSÉN, A., LUNDBERG, J. M., NOWAK, J. and KAIJSER, L. Potent vasoconstrictor affects and clearance of endothelin in the human forearm 319
HEMSÉN, A., PERNOW, J. and LUNDBERG, J. M. Regional extractions of endothelins and conversion of big endothelin to endothelin-1 in the pig 325
STJÄRNE, P., LACROIX, J. S., ÄNGGÅRD, A. and LUNDBERG, J. M. Compartment analysis of vascular effects of neuropeptides and capsaicin in the pig nasal mucosa 335
PÖRSTI, I., WUORELA, H., ARVOLA, P., MÄMMI, P., NURMI, A.-K., KOISTINAHO, J., LAIPPALA, P. and VAPAATALO, H. Effects of calcium supplementation and deoxycorticosterone on plasma atrial natriuretic peptide and electrolyte excretion in spontaneously hypertensive rats 343
MASPERS, M. EKELUND, U., BJÖRNBERG, J. and MELLANDER, S. Protective role of sympathetic nerve activity to exercising skeletal muscle in the regulation of capillary pressure and fluid filtration 351
AL-FALAHE, N. A., NAGAOKA, M. and VALLBO, A. B. Dual responses from human muscle spindles in fast voluntary movements 363
VASANKARI, T. J., KUAJALA, U. M., VILJANEN, T. T. and HUHTANIEMI, I. T. Carbohydrate ingestion during prolonged running exercise results in an increase of serum cortisol and decrease of gonadotrophins 373

BEAUDRY, M., DUVALLET, A., THIEULART, K., EL ABIDA, K. and RIEU, M. Lactate transport in skeletal muscle cells: uptake in L6 myoblasts 379
MADSEN, G., TØTTRUP, A., FORMAN, A. and ANDERSSON, K.-E. Mechanical properties of isolated human oesophageal submucosal veins 383
LESKINEN, M. Left ventricular responses to experimental aortic coarctation in growing puppies 391
YLI-HANKALA, A., PORKKALA, T., KAUKINEN, S., HÄKKINEN, V. and JÄNTTI, V. Respiratory sinus arrhythmia is reversed during positive pressure ventilation 399
TUOMINEN, K. and KORPI, E. R. Lack of effects of handling habituation and swimming stress on ethanol-induced motor impairment and $GABA_A$ receptor function 409
TAMAOKI, J., SAKAI, N., KOBAYASHI, K., KANEMURA, T. and TAKIZAWA, T. Stimulation of airway ciliary motility by immunologically activated canine pulmonary macrophages: role of leukotrienes 415
ANDERSSON, T. L. G. and VINGE, E. The efflux of ^{86}Rb and [^{3}H]5-HT from human platelets from continuous perfusion: effects of potassium induced membrane depolarization and thrombin stimulation 421
LINDSTRÖM, P. and BRISMAR, T. Mechanism of anoxic conduction block in mammalian nerve 429
HILDEBRAND, I. L., SYLVÉN, C., ESBJÖRNSSON, M., HELLSTRÖM, K., and JANSSON, E. Does chronic hypoxaemia induce transformations of fibre types 435

Rapid Communications

HOLMQVIST, F., HEDLUND, H. and ANDERSSON, K.-E. L-N^G-nitro arginine inhabits non-adrenergic, non-cholinergic relaxation of human isolated corpus cavernosum 441
LUNDBERG, J. M., HEMSÉN, A., ANDERSSON, M., HÖKFELT, T., MUTT, V. and BOMAN, H. G. Cecropin P1-like immunoreactivity in epithelial cells of duodenum and glucagon cells of the pancreas 443

VOLUME 141, NUMBER 4, APRIL 1991

KARLSSON, J. A., ZACKRISSON, C. & LUNDBERG, J. M. Hyperresponsiveness to tussive stimuli in cigarette smoke-exposed guinea-pigs: a role for capsaicin-sensitive, calcitonin gene-related peptide-containing nerves 445
NILSSON, S. F. E. Neuropeptide Y (NPY): a vasoconstrictor in the eye, brain and other tissues in the rabbit 455
DAHLSTRÖM, A. B., PFISTER, K. K. & BRADY, S. T. The axonal transport motor 'kinesin' is bound to anterogradely transported organelles: quantitative cytofluorimetric studies of fast axonal transport in the rat 469
BONDESSON, L., NORLIND, K., LIDÉN, S., GAFVELIN, G., THEODORSSON, E. & MUTT, V. Dual effects of vasoactive intestinal peptide (VIP) on leucocyte migration 477
CELSI, G., SAVIN, V. J., HENTER, J. I. & SOHTELL, M. The contribution of ultrafiltration pressure for glomerular hyperfiltration in young nephrectomized rats 483
AARLI, V. & AUCKLAND, K. Oedema preventing mechanisms in a low-compliant tissue: studies on the rat tail 489
HEXEBERG, E., MATRE, K. & LEKVEN, J. Transmural fibre direction in the anterior wall of the female left ventricle: theoretical considerations with regard to uniformity of contraction 497
SMOLICH, J. J., WEISSBERG, P. L., FRIBERG, P. & KORNER, P. I. Right ventricular coronary blood flow patterns during aortic pressure reduction in renal hypertensive dogs 507
KARLSTRÖM, G., BERGSTRÖM, G., FOLKOW, B., RUDENSTAM, J. & GÖTHBERG, G. Is the humoral renal antihypertensive activity of the spontaneously hypertensive rat (SHR) reset to the high blood pressure? 517

GARCIA-PASCUAL, A., COSTA, G., GARCIA-SACRISTAN, A. & ANDERSSON, K.-E. Relaxation of sheep urethral muscle induced by electrical stimulation: involvement of nitric oxide 531

BÜLOW, A. & JOHANSSON, B. Effect of felodipine on the myogenic response to dynamic stretch in vascular smooth muscle 541

YAJEYA, J., PATINO, A., RILOBOS, A. S., CRIADO, J. M. & DE LA FUENTE, A. Passive avoidance conditioning and unitary activity in the basolateral amygdaloid nucleus of the rat 549

BAHR, R., OPSTAD, P. K., MEDBØ, J. I. & SEJERSTED, O. M. Strenuous prolonged exercise elevates resting metabolic rate and causes reduced mechanical efficiency 555

NORDØY, E. S. & BLIX, A. S. Glucose and ketone body turnover in fasting grey seal pups 565

Rapid communications

STILLER, C.-O., FASTBOM, J., FREDHOLM, B. B. & BRODIN, E. The adensone analogue R-PIA interacts with substance P binding in rat brain and spinal cord 573

ANDERSSON, B. & ERIKSSON, S. Evidence in the sheep for an interaction between systemic angiotensin II and cerebral angiotensin mechanisms 575

FUXE, K. & ÖGREN, S. O. The unique effect of remoxipride on dopamine utilization in the basal ganglia 577

AUTHOR AND SUBJECT INDEX 579